



Honeycomb Blinds

Specialist in blinds

Product Features

With a honeycomb-like structure that offer good insulation, light control and come in various styles to enhance the aesthetics of a room. There are 4 options of Honeycomb blinds: Regular Shaped, Odd Shaped, Skylight and Sliding Honeycomb blinds. It is a great choice for creating a comfortable and private space

Product Categories



Normal



Top Down Bottom Up



Day and Night



Skylight



Perfect Fit



Sliding Window Screen



Sliding Door Screen



Odd Shapes


Control Systems



Continuous Loop



Cordless



Motorized



Cord Locked

Fabric Shading Effect



16/20/26/38/45mm
Sheer



16/20/26/38/45mm
Light Filtering



16/20/26/38/45mm
Blackout



38mm Dual Cell
Light Filtering



38mm Dual Cell
Blackout



Custom pattern

Available Rail Colors



Size:26mm



26mm No Drill Blinds



Size:38mm



Size:45mm



Electric No Drill



26mm Light Filtering



93020A




93020B




93020C



93020D



93020E



93020F



93020G




93020I



93035A



93035B




93035C




93035D




93035E




93035F




93035G



93034A



93034B



93034C



93020O



93020N



93020M



93020H



93020J




93020K



93033A



93033B



93033C

Color Swatches



26mm Blackout



93021A




93021B




93021C




93021D



93021J



93021E




93021F



93021G




93021H




93021I



93021Q




93021R



93034D



93034E




93034F



93036A



93036B



93036C



93036D



93036E



93021M



93021N




38mm Light Filtering & Blackout



☀️ 93022A




☀️ 93022B




☀️ 93022C



☀️ 93022D




☀️ 93022E



☀️ 93023A




☀️ 93023B



☀️ 93023C



☀️ 93023D



☀️ 93023E

45mm Light Filtering & Blackout



☀️ 93025A



☀️ 93025B




☀️ 93025C



☀️ 93025D



☀️ 93025E



☀️ 93024A




☀️ 93024B



☀️ 93024C



☀️ 93024D




☀️ 93024E

Please contact us for more color


Parameters of Rail




26
mm



Cordless Headrail




Continuous Loop/Bead Chain/
Motorized Headrail




26mm Bottom Rail


38
mm



38mm Motorized
Headrail(JS rail)




38mm Headrail




38mm Bottom Rail


45
mm



45mm Motorized
Headrail(JS rail)




45mm Headrail



45mm Bottom Rail




Inside Mount



Measurement requirements :
The depth(D)of the window hole should be more than 6cm.
Width: Measue W1,W2,W3, select the shortest one as the Width

Width of Blind=Width-0.5cm
Height of Blind=Height

Outside Mount



Window frames protruding the wall by more than 1cm will not be suitable for the outside mounting

Width of Blind=Width+10cm
Height of Blind=Height+15cm



26mm Honeycomb Blinds Customized Size						
Lift System		Width(MM)		Drop(MM)		Max. Area (m ²)
		min	max	min	max	
Corded	Bottom Up Corded	200	2300	200	2600	5.5 m ²
	Day&Night Double Corded	350	2300	500	2600	5.5 m ²
	TDBU Double Corded	350	2300	500	2600	5.5 m ²
Continuous Loop	Button Up Cord Loop	360	2500	500	2600	7 m ²
	Day&Night Loop	620	2500	500	2600	7 m ²
	TDBU Loop	620	2500	500	2600	7 m ²
Cordless	Regular Cordless	300	2300	500	2400	5.5 m ²
	TDBU Cordless	420	2300	500	2400	5.5 m ²
	Day&Night Cordless	420	2300	500	2400	5.5 m ²
Skylight	Manual	250	1500	200	3500	5m ²
Motorized	Cordless With AC Power	700	2500	300	4000	9m ²
	Cordless With DC Power	700	2500	300	4000	9 m ²
	Day& Night With AC Power	950	2800	600	2600	9 m ²
	Day& Night With DC Power	950	2800	600	2600	9 m ²
	TDBU Motorized	950	2000	300	3500	9 m ²
	Skylight With AC Power(G1)	350	2000	300	3500	9 m ²
	Skylight With DC Power(G1)	420	2000	300	3500	8 m ²
	Skylight With AC/DC Power(G2)	540	2100	400	4500	When the width is less than 540mm or greater than 360mm, the cord winder cannot be added.

38、45mm Honeycomb Blinds Customized Size						
Lift System		Width(MM)		Drop(MM)		Max. Area (m ²)
		min	max	min	max	
Corded	Bottom Up Corded	200	2000	300	2600	5 m ²
	Day&Night Double Corded	300	2000	300	2600	5 m ²
	TDBU Double Corded	300	2000	300	2600	5 m ²
Continuous Loop	Button Up Cord Loop	280	2000	300	2600	5 m ²
	Day&Night Loop	450	2000	300	2600	5 m ²
	TDBU Loop	450	2000	300	2600	5 m ²
Cordless	Regular Cordless	320	2500	300	2400	5.5 m ²
	TDBU Cordless	320	2500	300	2400	5.5 m ²
	Day&Night Cordless	320	2500	300	2400	5.5 m ²
Motorized	Cordless With AC Power	700	2500	400	3000	9 m ²
	Cordless With DC Power	700	2500	400	3000	9 m ²
	Day& Night With AC Power	700	2500	400	3000	9 m ²
	Day& Night With DC Power	700	2500	400	3000	9 m ²
	TDBU Motorized	700	2500	400	3000	9 m ²

Built-in Honeycomb Blinds Customized Size						
Lift System		Width(MM)		Drop(MM)		Max. Area (m ²)
		min	max	min	max	
Manual	16mm flat built-in	200	1200	200	2300	
	20mm curved built-in	200	1200	200	2300	